

Plant and Equipment Risk Assessment

	Hired From All Master Hire Stores		BBC	<u>o</u>		Approved By:	Steven Jose	
Equipment Location:		Equipment:		-		Signature:	gh-	
		Manufacturer Details	Vari	ious				
Hazard		Action Require Yes/No		Risk Level (Refer to risk matrix)	Hierarchy of Control	Hazard and Risk Treat Report Form)	ment (Complete Hazard	Risk Level after Risk Treatment (Refer to risk matrix)
Entanglemen								
brushes, rags of	nair, clothing, gloves, necktie, jewellery, cleaning or other materials become entangled with moving nt, or materials in motion?	☐ Yes ☑ No			☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE			
Crushing			•		<u>. – </u>			
Crusning Can anyone be crushed due to: Material falling off the plant? Uncontrolled or unexpected movement of the plant or its load? Lack of capacity for the plant to be slowed, stopped or immobilized? The plant tipping or rolling over? Parts of the plant collapsing? Coming in contact with moving parts of the plant during testing, inspection, use, maintenance, cleaning or repair? Being thrown off or under the plant? Being trapped between the plant and materials or fixed structures? Other factors?				LOW	☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacture Obey all warning do Ensure floor is a fir. Ensure wheels are (where fitted) Ensure brakes are fitted) Wear appropriate fo	ecals m, level surface in good order applied (where	LOW
Cutting, Stab	bing and Puncturing		-		T ==== :			T
 Coming testing, repair of Plant, p 	e cut, stabbed or punctured due to? g in contact with sharp or flying objects? g in contact with moving parts of the plant during inspection, operation, maintenance, cleaning or of the plant? parts of the plant or work pieces disintegrating? ieces being ejected?	⊠ Yes □ No		LOW	☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☑ Administration ☐ PPE	Follow manufacture Obey all warning de Take care if there a the BBQ	ecals	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 1 of 7



Plant and Equipment Risk Assessment

The mobility of the plant?Uncontrolled or unexpected movement of the plant?Other factors?					
Shearing					
Can anyone's body parts be: Sheared between two or more parts of the plant, or between a part of the plant and a work piece or structure?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Friction					
Can anyone be burnt, gain abrasions etc. due to: Contact with moving parts or surfaces of the plant, or material handled by the plant?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Striking					
Can anyone be struck by moving objects due to: Uncontrolled or unexpected movement of the plant or material handled by the plant? Plant, parts of the plant or work pieces disintegrating? Work pieces being ejected? Mobility of the plant? Other factors?	⊠ Yes □ No	LOW	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☐ PPE	Follow manufacturers' instructions Obey all warning decals Take care when moving/relocating BBQ Ensure floor is a firm, level surface Ensure wheels are in good order (where fitted) Ensure brakes are applied (where fitted)	HIGH
High Pressure Fluid					
Can anyone come into contact with? Fluids under high pressure in normal use, in the instance of plant failure?	☐ Yes ☐ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		LOW
Electrical					
Can anyone be injured by electrical shock or burnt due to: The plant contacting live electrical conductors? Plant working close to electrical conductors? Overload of electrical circuits? Damaged or poorly maintenance electrical leads or cables? Damaged electrical switches? Water near electrical equipment? Lack of isolation procedures?	☐ Yes ⊠ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 2 of 7



Authorised by:

General Manager - Safety & Personnel

SAFETY MANAGEMENT SYSTEM

Plant and Equipment Risk Assessment

Other factors					
Evaluation					
Can anyone be injured by fuels such as gases, vapors, liquids, dusts or other substances being ignited triggered by the operation of the plant or by materials handled by the plant?	⊠ Yes □ No	HIGH	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☐ PPE	Follow manufacturers' instructions Obey all warning decals Ensure all connections and hoses are in good order prior to use Ensure connections are properly sealed with no leaks (use water & detergent. NEVER check with ignition source such as matches or spark) All hoses to be fitted with regulator Ensure all controls on BBQ are turned off before opening gas bottle valve Take care when igniting and ensure there is no build-up of unburned gases Allow BBQ to cool before disconnecting Turn gas valve off before disconnecting hose/s Ensure all valves/taps are turned to off position on BBQ Do not store gas bottle under BBQ Store gas bottle outdoors in a well- ventilated area, and disconnect from BBQ	MEDIUM
Can anyone using the plant, or in the vicinity of the plant, slip, trip or fall due to: Uneven or slippery work surfaces? Poor housekeeping, such as shavings in the vicinity of the plant, spillage not cleaned up? Obstacles being placed in the vicinity of the plant? Other factors?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Wear appropriate footwear Maintain cleanliness of work area and clean up any spills immediately Set up BBQ out of pedestrian walkways and access paths	LOW
High Temperature					
Can anyone: Come into contact with objects at high temperature? Come into contact with hot fluids? Be injured by fire?	⊠ Yes □ No	HIGH	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Wear appropriate PPE Keep hands and body parts clear of hot oil/food and do not lean over the BBQ	MEDIUM

Date: 23/10/2023 Review Date: October 2024 Issue No: 1

Page 3 of 7



Plant and Equipment Risk Assessment

T				Keep all flammable materials (paper, plastic etc.) away from hot areas Allow BBQ to cool before cleaning plates and other components including utensils	
Temperature and Thermal Comfort		T			1
Can anyone suffer ill-health due to: Exposure to high or low temperatures? Failure of air conditioning equipment?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Suffocation					
Can anyone be suffocated due to: Lack of oxygen, or atmospheric contamination?	⊠ Yes □ No	LOW	⊠ Elimination □ Substitution ☑ Isolation □ Engineering ☑ Administration □ PPE	Follow manufacturers' instructions Obey all warning decals Position in well-ventilated area where vapours or fumes are present Operate in well-ventilated areas where vapours or fumes are created Ensure all hoses and seals are in good condition and leak-free Do not operate indoors	LOW
Ergonomics					
Can anyone be injured due to: Poorly designed seating? Repetitive body movements? Constrained body posture or the need for excessive effort? Design deficiency causing physical or personal stress? Inadequate or poorly placed lighting? Lack of consideration given to human error or human behavior? Mismatch of the plant with human traits and natural limitations? Other factors?	⊠ Yes □ No	LOW	⊠ Elimination □ Substitution □ Isolation ⊠ Engineering ☑ Administration □ PPE	Follow manufacturers' instructions Obey all warning decals Do not operate beyond operators' personal capabilities Use suitably designed and secured loading/unloading procedures including crane, hoist, ramps etc. Observe and use proper manual handling techniques	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 4 of 7



Plant and Equipment Risk Assessment

Transportation					
Can anyone be injured by this equipment falling or driven off vehicle or trailer while loading, unloading or transportation?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure equipment, attachments and sundry items are securely tied down Apply/use chocks/brakes if necessary Use appropriate unloading procedures Maintain vehicle and/or equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using plant where it is reasonable to foresee further risk to persons or damage to plant/vehicle	LOW
Operational					
Can anyone be injured by this equipment	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure plant/equipment is on stable ground and clear of obstructions Ensure adequate ventilation Ensure all connections and hoses are in good order prior to use Ensure connections are properly sealed with no leaks Keep all flammable materials (paper, plastic etc.) away from hot areas Allow BBQ to cool before cleaning plates and other components including utensils Wear appropriate PPE	LOW
Other Hazards					
Can anyone be injured or suffer ill-health from exposure to: Chemicals? Toxic gases or vapors? Fumes? Dust? Noise? Vibration? Radiation? Other Factors?	⊠ Yes □ No	LOW	☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Operate in well-ventilated areas where vapours or fumes are created Ensure equipment is appropriately labeled and meet the relevant State Legislative requirements Maintain plant in good working order - report any malfunction or damage to Master Hire immediately and stop using	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 5 of 7



Plant and Equipment Risk Assessment

					plant where it is reasonable to foresee further risk to persons or damage to equipment		
Further Comments:							
	This equipment must only be driven/operated by competent persons and holders of the appropriate license						
Checklist:	☑ Manufacturers' manuals referenced☑ Copy kept in Master Hires' Risk Manageme	ent File					

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 6 of 7



Plant and Equipment Risk Assessment

Hazard / Risk Matrix

Reference: Workplace Health and Safety Queensland - Risk Assessment - Supplement 2 Risk Management Code of Practice 2007

Step 1 Determine Likelihood – What is the possibility of the event happening?

	Criteria	Description	
Almost certain	Expected in most circumstances.	ces. Event is a common problem	
Likely	Will probably occur in most circumstances.	Event is known to have occurred at this site or it has happened	
Possible Might occur at some time Event could occur at the site or I've heard of it happening		Event could occur at the site or I've heard of it happening	
Unlikely	Could occur at some time	Event is not likely to occur at the site or I have not heard of it happening	
Rare	May occur only in exceptional circumstances	Event is practically impossible.	

Step 2 Determine Consequence - What will be the result if it happens?

Classification	Example detail description
Insignificant	No injuries
Minor	First aid treatment only; spillage contained at site.
Moderate	Medical treatment; spillage contained but with outside help.
Major	Extensive injuries; loss of production
Catastrophic	Death; toxic release of chemicals

Step 3 Determine the risk score

	CONSEQUENCE								
LIKELIHOOD	Insignificant	Minor	Moderate	Major	Catastrophic				
Almost certain	3 High	3 High	4 Acute	4 Acute	4 Acute				
Likely	2 Medium	3 High	3 High	4 Acute	4 Acute				
Possible	1 Low	2 Medium	3 High	4 Acute	4 Acute				
Unlikely	1 Low	1 Low	2 Medium	3 High	4 Acute				
Rare	1 Low	1 Low	2 Medium	3 High	3 High				

Step 4 Record risk score against the job sequence steps
(Note – Risk scores have no absolute value and should only be used for comparison and to engender discussion.)

Score	Action
4 A: Acute	ACT NOW – Urgent – do something about the risks immediately. Requires immediate attention.
3 H: High	Highest management decision is required urgently.
2 M: Medium	Follow management instructions.
1 L: Low	OK for now. Record and review if any equipment/ people/ materials/ work processes or procedures change.

Authorised by: General Manager - Safety &	Personnel Date: 23/10/2023	Review Date: October 2024	Issue No: 1	Page 7 of 7
riadilorisea by. General manager salety a	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	ite ite it bate. Cetebet 202 !	10040 110.	1 450 7 01 7