

# **Plant and Equipment Risk Assessment**

	Hired From All Master Hire Stores			CV	Motor - Diesel		Approved By:	Steven Jose	
Equipment Location:		Equ	ipment:				Signature:	ffr-	
		Mar Deta	nufacturer ails	Vai	rious				
Hazard			Action Required Yes/No	d	Risk Level (Refer to risk matrix)	Hierarchy of Control	Hazard and Risk Treati Report Form)	ment (Complete Hazard	Risk Level after Risk Treatment (Refer to risk matrix)
Entanglement									
Can anyone's hair, clothing, gloves, necktie, jewellery, cleaning brushes, rags or other materials become entangled with moving parts of the plant, or materials in motion?			⊠ Yes □ No		LOW	⊠ Elimination     □ Substitution     ☑ Isolation     □ Engineering     ☑ Administration     ☑ PPE	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into engine or drive cone area with motor running Do not do any servicing or maintenance with motor running Secure/remove all loose materials before operating this machine		LOW
Crushing					1	1			
<ul> <li>Uncontr load?</li> <li>Lack of immobil</li> <li>The plant</li> <li>Parts of</li> <li>Coming testing,</li> <li>Being th</li> </ul>	I falling off the plant? colled or unexpected movement of the plant or it capacity for the plant to be slowed, stopped or ized? In tipping or rolling over? I the plant collapsing? In contact with moving parts of the plant during inspection, use, maintenance, cleaning or repairown off or under the plant? apped between the plant and materials or fixed es?	) ir?	☐ Yes ☑ No			☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE			

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 1 of 7



Authorised by:

General Manager - Safety & Personnel

## SAFETY MANAGEMENT SYSTEM

# **Plant and Equipment Risk Assessment**

Cutting, Stabbing and Puncturing	1				
<ul> <li>Can anyone be cut, stabbed or punctured due to?</li> <li>Coming in contact with sharp or flying objects?</li> <li>Coming in contact with moving parts of the plant during testing, inspection, operation, maintenance, cleaning or repair of the plant?</li> <li>Plant, parts of the plant or work pieces disintegrating?</li> <li>Work pieces being ejected?</li> <li>The mobility of the plant?</li> <li>Uncontrolled or unexpected movement of the plant?</li> <li>Other factors?</li> </ul>	⊠ Yes □ No	LOW	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into engine or drive cone area with motor running Do not do any servicing or maintenance with motor running Ensure all safety guards and fixtures are in place and working Ensure machine is switched off before any adjustments are made Ensure appropriate PPEs are used (e.g. protection for eyes, hearing and footwear)	LOW
Shearing			<u> </u>		
Can anyone's body parts be:  Sheared between two or more parts of the plant, or between a part of the plant and a work piece or structure?	⊠ Yes □ No	LOW	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into engine or drive cone area with motor running Do not do any servicing or maintenance with motor running Wear appropriate PPE when operating this machine	LOW
Friction					
Can anyone be burnt, gain abrasions etc. due to:  Contact with moving parts or surfaces of the plant, or material handled by the plant?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into engine or drive cone area with motor running Do not do any servicing or maintenance with motor running Allow motor and other components to cool before servicing Hot parts that require access should be guarded Ensure to wear appropriate PPE whilst operating this machine i.e. protective eyewear, gloves and footwear	LOW

This is an uncontrolled copy when printed - 23/10/2023

Date: 23/10/2023 Review Date: October 2024



# **Plant and Equipment Risk Assessment**

Striking	]				
Can anyone be struck by moving objects due to:  Uncontrolled or unexpected movement of the plant or material handled by the plant?  Plant, parts of the plant or work pieces disintegrating?  Work pieces being ejected?  Mobility of the plant?  Other factors?	⊠ Yes □ No	LOW	⊠ Elimination     □ Substitution     □ Isolation     ⊠ Engineering     ☑ Administration     ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure that the work area is clear of other personnel to avoid injury Wear appropriate PPE whilst using this machine	LOW
High Pressure Fluid					
Can anyone come into contact with?  Fluids under high pressure in normal use, in the instance of plant failure?	☐ Yes ☑ No	LOW	☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		LOW
Electrical			•		
Can anyone be injured by electrical shock or burnt due to:  The plant contacting live electrical conductors?  Plant working close to electrical conductors?  Overload of electrical circuits?  Damaged or poorly maintenance electrical leads or cables?  Damaged electrical switches?  Water near electrical equipment?  Lack of isolation procedures?  Other factors	☐ Yes ⊠ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Explosion	57.7	MEDIUM	L D en		1.01
Can anyone be injured by fuels such as gases, vapors, liquids, dusts or other substances being ignited triggered by the operation of the plant or by materials handled by the plant?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Fuel filling must be carried out in well ventilated space, away from ignition source/s Engine must be switched off and cooled before fuel filling which is to be done 3 meters from the work site	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 3 of 7



# **Plant and Equipment Risk Assessment**

Slipping, tripping and Falling	1				
Can anyone using the plant, or in the vicinity of the plant, slip, trip or fall due to:  Uneven or slippery work surfaces?  Poor housekeeping, such as shavings in the vicinity of the plant, spillage not cleaned up?  Obstacles being placed in the vicinity of the plant?  Other factors?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Wear appropriate footwear Maintain cleanliness of work area Ensure a level working area before operating this machine Wear appropriate PPE to avoid personal injury while using this machine	LOW
Can anyone:  Come into contact with objects at high temperature? Come into contact with hot fluids? Be injured by fire?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into engine area with motor running Do not do any servicing or maintenance with motor running Allow motor and other components to cool before servicing Wear appropriate PPE	LOW
Temperature and Thermal Comfort  Can anyone suffer ill-health due to:  Exposure to high or low temperatures?  Failure of air conditioning equipment?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Suffocation  Can anyone be suffocated due to:  Lack of oxygen, or atmospheric contamination?	⊠ Yes □ No	MEDIUM	⊠ Elimination     □ Substitution     □ Isolation     □ Engineering     ☑ Administration     ☑ PPE	Follow manufacturers' instructions Obey all warning decals Position in well ventilated place Operate in well-ventilated areas only Wear appropriate PPE whilst using this machine	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 4 of 7



# **Plant and Equipment Risk Assessment**

Ergonomics	]				
Can anyone be injured due to:     Poorly designed seating?     Repetitive body movements?     Constrained body posture or the need for excessive effort?     Design deficiency causing physical or personal stress?     Inadequate or poorly placed lighting?     Lack of consideration given to human error or human behavior?     Mismatch of the plant with human traits and natural limitations?     Other factors?	⊠ Yes □ No	LOW	<ul> <li>☑ Elimination</li> <li>☐ Substitution</li> <li>☐ Isolation</li> <li>☑ Engineering</li> <li>☑ Administration</li> <li>☐ PPE</li> </ul>	Follow manufacturers' instructions Obey all warning decals Take regular breaks/rests Exercise/stretch regularly Do not operate beyond your personal capabilities Use suitably designed and secured loading/unloading procedures including crane, hoist, ramps etc. Observe and use proper manual handling techniques	LOW
Transportation					
Can anyone be injured by this equipment falling or driven off vehicle or trailer while loading, unloading or transportation?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure engine and fuel is switched off Ensure equipment, attachments and sundry items are securely tied down Ensure liquids are prevented from spillage Maintain equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable to foresee further risk to persons or damage to equipment Wear appropriate PPE whilst transporting and operating this machinery	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 5 of 7



Authorised by:

General Manager - Safety & Personnel

## SAFETY MANAGEMENT SYSTEM

# **Plant and Equipment Risk Assessment**

Operational						
Can anyone be injured by this equipment		⊠ Yes □ No	LOW	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure equipment is on stable ground and clear of obstructions Ensure adequate ventilation appropriately before starting/operating Ensure all guards and fixtures are in place Ensure machine is switched off before making any adjustments Do not operate on steep slope Ensure guards cover the entire width of the rotating parts Ensure appropriate PPEs are used (e.g. protection for eyes, ears and feet)	LOW
Other Hazards			1.00			1.011
Can anyone be injured or suffer ill-health from exposure to:  Chemicals?  Toxic gases or vapors?  Fumes?  Dust?  Noise?  Vibration?  Radiation?  Other Factors?		⊠ Yes □ No	LOW	⊠ Elimination     □ Substitution     □ Isolation     ⊠ Engineering     ☑ Administration     ☑ PPE	Follow manufacturers' instructions Obey all warning decals Operate in well-ventilated areas only Check for overhead/underground utilities (gas, water, electrical) before operation Ensure equipment is appropriately labeled and meet the relevant State Legislative requirements Maintain equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable to foresee further risk to persons or damage to equipment	LOW
Further Comments:	A Specific Risk Assessment on site mu					
	This equipment must only be drive	n/operated by o	competent per	sons and hold	ders of the appropriate license	
Checklist:	☐ Manufacturers' manuals referenced ☐ Copy kept in Master Hires' Risk Management File					

Date: 23/10/2023 Review Date: October 2024

Page 6 of 7

Issue No: 1



## **Plant and Equipment Risk Assessment**

## **Hazard / Risk Matrix**

Reference: Workplace Health and Safety Queensland - Risk Assessment - Supplement 2
Risk Management Code of Practice 2007

#### **Step 1 Determine Likelihood –** What is the possibility of the event happening?

	Criteria	Description
Almost certain	Expected in most circumstances.	Event is a common problem
Likely	Will probably occur in most circumstances.	Event is known to have occurred at this site or it has happened
Possible	Might occur at some time	Event could occur at the site or I've heard of it happening
Unlikely	Could occur at some time	Event is not likely to occur at the site or I have not heard of it happening
Rare	May occur only in exceptional circumstances	Event is practically impossible.

#### Step 2 Determine Consequence - What will be the result if it happens?

Classification	Example detail description
Insignificant	No injuries
Minor	First aid treatment only; spillage contained at site.
Moderate	Medical treatment; spillage contained but with outside help.
Major	Extensive injuries; loss of production
Catastrophic	Death; toxic release of chemicals

#### Step 3 Determine the risk score

	CONSEQUENCE								
LIKELIHOOD	Insignificant	Minor	Moderate	Major	Catastrophic				
Almost certain	3 High	3 High	4 Acute	4 Acute	4 Acute				
Likely	2 Medium	3 High	3 High	4 Acute	4 Acute				
Possible	1 Low	2 Medium	3 High	4 Acute	4 Acute				
Unlikely	1 Low	1 Low	2 Medium	3 High	4 Acute				
Rare	1 Low	1 Low	2 Medium	3 High	3 High				

# Step 4 Record risk score against the job sequence steps

(Note - Risk scores have no absolute value and should only be used for comparison and to engender discussion.)

Score	Action
4 A: Acute	ACT NOW – Urgent – do something about the risks immediately. Requires immediate attention.
3 H: High	Highest management decision is required urgently.
2 M: Medium	Follow management instructions.
1 L: Low	OK for now. Record and review if any equipment/ people/ materials/ work processes or procedures change.

Authorised by:	General Manager - Safety & Personnel	Date: 23/10/2023 R	Review Date: October 2024	Issue No: 1	Page 7 of 7
Authorised by.	ceneral manager sarety are essential	Date: 25/10/2025   R	terien bate. October 2021	15546 110.	, , , , , , , , , , , , , , , , , , , ,