

Plant and Equipment Risk Assessment

	Hired From All Master Hire Stores		TR	AILER (single/	dual axle)	Approved By:	Steven Jose	
Equipment Location:		Equipment:		(-)		Signature:	John .	
		Manufacturer Details	Vai	rious				
Hazard		Action Require Yes/No		Risk Level (Refer to risk matrix)	Hierarchy of Control	Hazard and Risk Trea Report Form)	tment (Complete Hazard	Risk Level after Risk Treatment (Refer to risk matrix)
Entangleme								
brushes, rags	hair, clothing, gloves, necktie, jewellery, cleaning or other materials become entangled with moving ant, or materials in motion?	☐ Yes ☑ No			☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE			
Crushing					<u>. —</u>			
Can anyone by Mater Uncor load? Lack of immoder The purple Parts Comit testing Being struct Other to	factors?			ACUTE	⊠ Elimination □ Substitution ☑ Isolation □ Engineering ☑ Administration ☑ PPE	(forward or reversi personnel except of Maintain exclusion trailer Ensure equipment to towing vehicle be Ensure all signage decals are clear an Ensure all loads an travelling Ensure appropriate	lecals oving vehicle/trailer ing) is free of all driver is zone when moving is correctly attached before transporting is, labels and warning and visible re secure before	HIGH
Cutting, Sta	bbing and Puncturing			•	1	1		•
Can anyone b Comir Comir	pe cut, stabbed or punctured due to? Ing in contact with sharp or flying objects? Ing in contact with moving parts of the plant during Ing, inspection, operation, maintenance, cleaning or	☐ Yes ☑ No			☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE			

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 1 of 7



Plant and Equipment Risk Assessment

repair of the plant? Plant, parts of the plant or work pieces disintegrating? Work pieces being ejected? The mobility of the plant? Uncontrolled or unexpected movement of the plant? Other factors?					
Shearing					
Can anyone's body parts be: Sheared between two or more parts of the plant, or between a part of the plant and a work piece or structure?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE	Follow manufacturers' instructions Obey all warning decals Ensure all signage, labels and warning decals are clear and visible at all times Ensure travel of moving vehicle/trailer (forward or reversing) is free of all personnel except driver Ensure exclusion zone in and around vehicle while loaded or being filled Ensure no one is between vehicle and Ensure appropriate PPE is worn to ensure safety and minimise personal injury	LOW
Friction					
Can anyone be burnt, gain abrasions etc. due to: Contact with moving parts or surfaces of the plant, or material handled by the plant?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Striking			<u> </u>		
Can anyone be struck by moving objects due to: Uncontrolled or unexpected movement of the plant or material handled by the plant? Plant, parts of the plant or work pieces disintegrating? Work pieces being ejected? Mobility of the plant? Other factors?	⊠ Yes □ No	MEDIUM	⊠ Elimination □ Substitution ☑ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure all signage, labels and warning decals are clear and visible at all times Ensure travel of moving vehicle/trailer (forward or reversing) is free of all personnel except driver Ensure exclusion zone in and around vehicle while loaded or being filled Ensure appropriate PPE is worn to ensure safety and minimise personal injury	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 2 of 7



Plant and Equipment Risk Assessment

High Pressure Fluid					
Can anyone come into contact with? Fluids under high pressure in normal use, in the instance of plant failure?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Electrical					
Can anyone be injured by electrical shock or burnt due to:	⊠ Yes □ No	MEDIUM	⊠ Elimination □ Substitution □ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure placement of trailer is away from electrical conductors Ensure any ignition source is removed prior to operation Ensure appropriate PPE is worn to ensure safety and minimise personal injury	LOW
Explosion Can anyone be injured by fuels such as gases, vapours, liquids,	⊠ Yes	HIGH	⊠ Elimination	Follow manufacturers' instructions	LOW
dusts or other substances being ignited triggered by the operation of the plant or by materials handled by the plant?	□ No		☐ Substitution ☐ Isolation ☐ Engineering ☑ Administration ☑ PPE	Obey all warning decals Ensure all signage, labels and warning decals are clear and visible Ensure placement of trailer is away from electrical conductors Ensure any ignition source is removed prior to operation Ensure appropriate PPE is worn to ensure safety and minimise personal injury	
Slipping, Tripping and Falling			T — — —		·
Can anyone using the plant, or in the vicinity of the plant, slip, trip or fall due to: Uneven or slippery work surfaces? Poor housekeeping, such as shavings in the vicinity of the plant, spillage not cleaned up? Obstacles being placed in the vicinity of the plant? Other factors?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Wear appropriate footwear Always use 3 points of contact when getting on/off trailer Ensure appropriate PPE is worn whilst operating this machine to ensure safety and minimise personal injury	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 3 of 7



Plant and Equipment Risk Assessment

High Temperature]				
Can anyone: Come into contact with objects at high temperature? Come into contact with hot fluids? Be injured by fire?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Temperature and Thermal Comfort		•	<u> </u>		
Can anyone suffer ill-health due to: Exposure to high or low temperatures? Failure of air conditioning equipment?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Suffocation		<u> </u>	T		
Can anyone be suffocated due to: Lack of oxygen, or atmospheric contamination?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Ergonomics					
Can anyone be injured due to: Poorly designed seating? Repetitive body movements? Constrained body posture or the need for excessive effort? Design deficiency causing physical or personal stress? Inadequate or poorly placed lighting? Lack of consideration given to human error or human behaviour? Mismatch of the plant with human traits and natural limitations? Other factors?	⊠ Yes □ No	LOW	⊠ Elimination □ Substitution □ Isolation ☑ Engineering ☑ Administration □ PPE	Follow manufacturers' instructions Obey all warning decals Take regular breaks/rests Exercise/stretch regularly Do not operate beyond your personal capabilities Use suitably designed and secured loading/unloading procedures including when connecting and disconnecting trailer to vehicle Use wheel chocks and park brake when unattached to vehicle Observe and use proper manual handling techniques	LOW
Transportation					
Can anyone be injured by this equipment falling or driven off vehicle or trailer while loading, unloading or transportation?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure fuel is switched off prior to transportation Ensure equipment, attachments and	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 4 of 7



Plant and Equipment Risk Assessment

				sundry items are securely tied down Apply/use chocks if necessary Ensure liquids are prevented from spillage Maintain vehicle and/or equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable to foresee further risk to persons or damage to equipment Ensure appropriate PPE is worn whilst operating this machine to ensure safety and minimise personal injury	
Operational					
Can anyone be injured by this equipment	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure equipment is on stable ground and clear of obstructions Ensure adequate ventilation Ensure safety gears, levers, switches etc. are engaged/disengaged appropriately before starting/operating Ensure machine is switched off before making any adjustments Regular inspection to check for any structural damage must be done prior to commencing operation Do not remove the hazard warning label Ensure fire extinguisher is always present, have current certification and be fully functional Ensure appropriate PPE is worn whilst operating this machine to ensure safety and minimise personal injury	Low
Other Hazards					
Can anyone be injured or suffer ill-health from exposure to: Chemicals? Toxic gases or vapours? Fumes?	⊠ Yes □ No	LOW	 ☑ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☒ Administration 	Follow manufacturers' instructions Obey all warning decals Check for overhead/underground utilities (gas, water, electrical) before operation	LOW

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 5 of 7



Plant and Equipment Risk Assessment

 Dust? Noise? Vibration? Radiation? Other Factors? Further Comments:	A Specific Risk Assessment on site must be driven		Ensure equipment is appropriately labelled and meet the relevant State Legislative requirements Only fill with material for which is supplied Maintain vehicle and/or equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable to foresee further risk to persons or damage to equipment Ensure appropriate PPE is worn whilst operating this machine to ensure safety and minimise personal injury nt operation. sons and holders of the appropriate license
Checklist:		nt File	

Authorised by: General Manager - Safety & Personnel Date: 23/10/2023 Review Date: October 2024 Issue No: 1 Page 6 of 7



Plant and Equipment Risk Assessment

Hazard / Risk Matrix

Reference: Workplace Health and Safety Queensland - Risk Assessment - Supplement 2
Risk Management Code of Practice 2007

Step 1 Determine Likelihood – What is the possibility of the event happening?

	Criteria	Description			
Almost certain	Expected in most circumstances.	Event is a common problem			
Likely	Will probably occur in most circumstances.	Event is known to have occurred at this site or it has happened			
Possible	Might occur at some time	Event could occur at the site or I've heard of it happening			
Unlikely	Could occur at some time	Event is not likely to occur at the site or I have not heard of it happening			
Rare	May occur only in exceptional circumstances	Event is practically impossible.			

Step 2 Determine Consequence - What will be the result if it happens?

Classification	Example detail description
Insignificant	No injuries
Minor	First aid treatment only; spillage contained at site.
Moderate Medical treatment; spillage contained but with outside	
Major	Extensive injuries; loss of production
Catastrophic	Death; toxic release of chemicals

Step 3 Determine the risk score

	CONSEQUENCE							
LIKELIHOOD	Insignificant	Minor	Moderate	Major	Catastrophic			
Almost certain	3 High	3 High	4 Acute	4 Acute	4 Acute			
Likely	2 Medium	3 High	3 High	4 Acute	4 Acute			
Possible	1 Low	2 Medium	3 High	4 Acute	4 Acute			
Unlikely	1 Low	1 Low	2 Medium	3 High	4 Acute			
Rare	1 Low	1 Low	2 Medium	3 High	3 High			

Step 4 Record risk score against the job sequence steps

(Note – Risk scores have no absolute value and should only be used for comparison and to engender discussion.)

Score	Action
4 A: Acute	ACT NOW – Urgent – do something about the risks immediately. Requires immediate attention.
3 H: High	Highest management decision is required urgently.
2 M: Medium	Follow management instructions.
1 L: Low	OK for now. Record and review if any equipment/ people/ materials/ work processes or procedures change.

Authorised by: Ge	eneral Manager - Safety & Personnel	Date: 23/10/2023	Review Date: October 2024	Issue No: 1	Page 7 of 7
,					5