

Plant and Equipment Risk Assessment

	Hired From All Master Hire Stores		Jack Hammer - P	etrol	Approved By:	Steven Jose	
Equipment Location:		Equipment:			Signature:	for	
		Manufacturer Details	Various				
Hazard		Action Requir Yes/No		Hierarchy of Control	Hazard and Risk Trea Report Form)	atment (Complete Hazard	Risk Level after Risk Treatment (Refer to risk matrix)
Entanglement Can anyone's hair, clothing, gloves, necktie, jewellery, cleaning brushes, rags or other materials become entangled with moving parts of the plant, or materials in motion?			HIGH	 ☑ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE 	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into work area with motor running Do not do any servicing or maintenance with motor running Wear appropriate PPE whilst operating this machine		MEDIUM
 Crushing Can anyone be crushed due to: Material falling off the plant? Uncontrolled or unexpected movement of the plant or its load? Lack of capacity for the plant to be slowed, stopped or immobilized? The plant tipping or rolling over? Parts of the plant collapsing? Coming in contact with moving parts of the plant during testing, inspection, use, maintenance, cleaning or repair? Being thrown off or under the plant? Being trapped between the plant and materials or fixed structures? Other factors? 			HIGH	 ☑ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☑ Administration ☑ PPE 	protective guards Keep hands and f and moving parts cause injury if con Ensure that the m is in the off positic	decals nachine and the e e machine unless all are in place eet clear of rotating (moils) as they will ntacted otor operation switch on and lead is ore removing moils or	MEDIUM

 Authorised by:
 General Manager - Safety & Personnel
 Date:
 23/06/2023
 Review Date:
 June 2024
 Issue No:
 1
 Page 1 of 7



Plant and Equipment Risk Assessment

Cutting, Stabbing and Puncturing					
 Can anyone be cut, stabbed or punctured due to? Coming in contact with sharp or flying objects? Coming in contact with moving parts of the plant during testing, inspection, operation, maintenance, cleaning or repair of the plant? Plant, parts of the plant or work pieces disintegrating? Work pieces being ejected? The mobility of the plant? Uncontrolled or unexpected movement of the plant? Other factors? 	⊠ Yes □ No	MEDIUM	 □ Elimination □ Substitution ⊠ Isolation □ Engineering ⊠ Administration ⊠ PPE 	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into work area with motor running Do not do any servicing or maintenance with motor running Ensure all guards and fixtures are in place Ensure machine is switched off before changing moils Ensure appropriate PPEs are used (e.g. protection for eyes, hearing and footwear)	MEDIUM
Shearing					
 Can anyone's body parts be: Sheared between two or more parts of the plant, or between a part of the plant and a work piece or structure? 	☐ Yes ⊠ No		Elimination Substitution Isolation Engineering Administration PPE		
Friction			• —		
 Can anyone be burnt, gain abrasions etc. due to: Contact with moving parts or surfaces of the plant, or material handled by the plant? 	⊠ Yes □ No	MEDIUM	 □ Elimination □ Substitution ⊠ Isolation □ Engineering ⊠ Administration ☑ PPE 	Follow manufacturers' instructions Obey all warning decals Do not lean or reach into work area with motor running Do not do any servicing or maintenance with motor running or connected to power Allow motor and other components to completely stop & cool before servicing	LOW
Striking		- ÷	·	·	
 Can anyone be struck by moving objects due to: Uncontrolled or unexpected movement of the plant or material handled by the plant? Plant, parts of the plant or work pieces disintegrating? Work pieces being ejected? Mobility of the plant? Other factors? 	⊠ Yes □ No	MEDIUM	 ☑ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE 	Follow manufacturers' instructions Obey all warning decals Ensure appropriate PPE is worn when operating this machine	LOW

 Authorised by:
 General Manager - Safety & Personnel
 Date:
 23/06/2023
 Review Date:
 June 2024
 Issue No:
 1
 Page 2 of 7



Plant and Equipment Risk Assessment

High Pressure Fluid					
 Can anyone come into contact with? Fluids under high pressure in normal use, in the instance of plant failure? 	☐ Yes ⊠ No		 Elimination Substitution Isolation Engineering Administration PPE 		
Electrical					
 Can anyone be injured by electrical shock or burnt due to: The plant contacting live electrical conductors? Plant working close to electrical conductors? Overload of electrical circuits? Damaged or poorly maintenance electrical leads or cables? Damaged electrical switches? Water near electrical equipment? Lack of isolation procedures? Other factors 	⊠ Yes □ No	HIGH	☑ Elimination □ Substitution ☑ Isolation □ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Protective devices should only be removed when the device is turned off, disconnected from the mains and at a standstill. Covers in particular should only be removed and refitted by authorised personnel Ensure that the material to be broken up does not contain any "live" electrical cables, gas or water services Always wear the appropriate PPE when operating this machine Never refuel within 3m of any electrical systems	HIGH
Explosion					
Can anyone be injured by fuels such as gases, vapors, liquids, dusts or other substances being ignited triggered by the operation of the plant or by materials handled by the plant?	⊠ Yes □ No	MEDIUM	 □ Elimination □ Substitution ○ Isolation □ Engineering ○ Administration □ PPE 	Follow manufacturers' instructions Obey all warning decals Turn off machine and allow to cool before refueling and only in in well- ventilated area Ensure fuel caps are replaced when refueling is completed Remove all combustible and flammable material from work vicinity Do not allow any ignition source near fuel containers Ensure good, constant air flow	LOW

Authorised by: General Manager - Safety & Personnel

Date: 23/06/2023 Review Date: June 2024

Issue No: 1

This is an uncontrolled copy when printed - 23/06/2023



Plant and Equipment Risk Assessment

Slipping, Tripping and Falling]				
 Can anyone using the plant, or in the vicinity of the plant, slip, trip or fall due to: Uneven or slippery work surfaces? Poor housekeeping, such as shavings in the vicinity of the plant, spillage not cleaned up? Obstacles being placed in the vicinity of the plant? Other factors? 	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ⊠ Engineering ⊠ Administration ⊠ PPE	Follow manufacturers' instructions Obey all warning decals Wear appropriate footwear Keep work area clean and clear of obstructions and debris Display warning signs if pedestrian needs to share area and have spotter	LOW
High Temperature					
 Can anyone: Come into contact with objects at high temperature? Come into contact with hot fluids? Be injured by fire? 	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ⊠ Isolation ☐ Engineering ⊠ Administration ⊠ PPE		LOW
Temperature and Thermal Comfort					
 Can anyone suffer ill-health due to: Exposure to high or low temperatures? Failure of air conditioning equipment? 	☐ Yes ⊠ No		Elimination Substitution Isolation Engineering Administration PPE	Follow manufacturers' instructions Obey all warning decals Operate in well-ventilated areas only Check for utilities (gas, water, electrical) in the work zone BEFORE operation Turn off machine and allow to cool before refueling and only in in well- ventilated area Ensure fuel caps are replaced when refueling is completed Remove all combustible and flammable material from work vicinity Do not allow any ignition source near fue containers Do not place any body part or flammable material on/near exhaust system Ensure equipment is appropriately labeled and meet the relevant State Legislative requirements Maintain equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable	ə/ >

Issue No: 1



Plant and Equipment Risk Assessment

Suffocation Can anyone be suffocated due to:	⊻ Yes	MEDIUM	Elimination □ Substitution	to foresee further risk to persons or damage to equipment Always wear the appropriate PPE whilst operating this machine – this includes safety hat, safety gloves, shoes, hearing and respiratory protection	LOW
 Lack of oxygen, or atmospheric contamination? 			☐ Isolation ☐ Engineering ⊠ Administration ☐ PPE	Obey all warning decals Ensure adequate ventilation in sealed-off areas. Position and operate in wel-ventilated areas only Use dust extraction devices if required	
Ergonomics					
 Can anyone be injured due to: Poorly designed seating? Repetitive body movements? Constrained body posture or the need for excessive effort? Design deficiency causing physical or personal stress? Inadequate or poorly placed lighting? Lack of consideration given to human error or human behavior? Mismatch of the plant with human traits and natural limitations? Other factors? 	⊠ Yes □ No	LOW	 ☑ Elimination □ Substitution □ Isolation ☑ Engineering ☑ Administration □ PPE 	Follow manufacturers' instructions Obey all warning decals Take regular breaks/rests Exercise/stretch regularly Do not operate beyond your personal capabilities Observe and use proper manual handling techniques	LOW
Transportation					
Can anyone be injured by this equipment falling or driven off vehicle or trailer while loading, unloading or transportation?	⊠ Yes □ No	MEDIUM	 ☐ Elimination ☐ Substitution ☐ Isolation ⊠ Engineering ⊠ Administration ☑ PPE 	Follow manufacturers' instructions Obey all warning decals Ensure equipment, attachments and sundry items are securely tied down Always wear the appropriate PPE when operating/handling this machine	LOW
Operational					
Can anyone be injured by this equipment	⊠ Yes □ No	MEDIUM	 Elimination Substitution Isolation Engineering Administration 	Follow manufacturers' instructions Obey all warning decals Ensure equipment is on stable ground	LOW

Authorised by:General Manager - Safety & PersonnelDate: 23/06/2023Review Date: June 2024Issue No: 1Page 5 of 7



Plant and Equipment Risk Assessment

				⊠ PPE	and clear of obstructions Ensure firm, stable footing of operator Ensure adequate ventilation Ensure all safety guards and fixtures are in place Ensure hold-to-run controls provided for machine are working properly Ensure handles and other adjustable parts are set right for the operator Ensure appropriate PPEs are used (e.g. protection for eyes, hearing and footwear)	
Other Hazards Can anyone be injured of Chemicals? Toxic gases or va Fumes? Dust? Noise? Vibration? Radiation? Other Factors?	or suffer ill-health from exposure to:	⊠ Yes □ No	LOW	Image: Substitution Substitution Isolation Isolation Administration PPE	Follow manufacturers' instructions Obey all warning decals Operate in well-ventilated areas only Check for utilities (gas, water, electrical) in the drill zone BEFORE operation Ensure equipment is appropriately labeled and meet the relevant State Legislative requirements Maintain equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable to foresee further risk to persons or damage to equipment Always wear the appropriate PPE whilst operating this machine – this includes safety hat, safety gloves, shoes, hearing and respiratory protection	LOW
Further Comments:	A Specific Risk Assessment on site mu This equipment must only be driver					
Checklist:	 Manufacturers' manuals referenced Copy kept in Master Hires' Risk Managem 	ent File				

 Authorised by:
 General Manager - Safety & Personnel
 Date:
 23/06/2023
 Review Date:
 June 2024
 Issue No:
 1
 Page 6 of 7



Plant and Equipment Risk Assessment

Hazard / Risk Matrix

Reference: Workplace Health and Safety Queensland - Risk Assessment - Supplement 2 Risk Management Code of Practice 2007

Step 1 Determine Likelihood – What is the possibility of the event happening?

	Criteria	Description
Almost certain	Expected in most circumstances.	Event is a common problem
Likely	Will probably occur in most circumstances.	Event is known to have occurred at this site or it has happened
Possible	Might occur at some time	Event could occur at the site or I've heard of it happening
Unlikely	Could occur at some time	Event is not likely to occur at the site or I have not heard of it happening
Rare	May occur only in exceptional circumstances	Event is practically impossible.

Step 2 Determine Consequence - What will be the result if it happens?

Classification	Example detail description
Insignificant	No injuries
Minor	First aid treatment only; spillage contained at site.
Moderate	Medical treatment; spillage contained but with outside help.
Major	Extensive injuries; loss of production
Catastrophic	Death; toxic release of chemicals

Step 3 Determine the risk score

	CONSEQUENCE							
LIKELIHOOD	Insignificant	Minor	Moderate	Major	Catastrophic			
Almost certain	3 High	3 High	4 Acute	4 Acute	4 Acute			
Likely	2 Medium	3 High	3 High	4 Acute	4 Acute			
Possible	1 Low	2 Medium	3 High	4 Acute	4 Acute			
Unlikely	1 Low	1 Low	2 Medium	3 High	4 Acute			
Rare	1 Low	1 Low	2 Medium	3 High	3 High			

Step 4 Record risk score against the job sequence steps (Note – Risk scores have no absolute value and should only be used for comparison and to engender discussion.)

Score	Action
4 A: Acute	ACT NOW – Urgent – do something about the risks immediately. Requires immediate attention.
3 H: High	Highest management decision is required urgently.
2 M: Medium	Follow management instructions.
1 L: Low	OK for now. Record and review if any equipment/ people/ materials/ work processes or procedures change.

Authorised by: General Manager - Safety & Personnel	Date: 23/06/2023 Review Date: June 2024	Issue No: 1	Page 7 of 7
---	---	-------------	-------------