

Plant and Equipment Risk Assessment

Hired From All Master Hire Stores				Jack Hammers – All sizes - Air		Approved By:	Steven Jose		
Equipment Location:		Equi	Equipment:				Signature:	John John Marie Ma	
		Man Deta	ufacturer ails	Var	rious				
Hazard			Action Required Yes/No	i	Risk Level (Refer to risk matrix)	Hierarchy of Control	Hazard and Risk Treati Report Form)	ment (Complete Hazard	Risk Level after Risk Treatment (Refer to risk matrix)
Entanglement									
Can anyone's hair, clothing, gloves, necktie, jewellery, cleaning brushes, rags or other materials become entangled with moving parts of the plant, or materials in motion?		, ,	⊠ Yes □ No		HIGH	☐ Substitution ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE ☐ Do not lean or reach into work are with motor running ☐ Do not do any servicing or maintenance with motor running ☐ Wear appropriate PPE whilst open this machine		ecals h into work area cing or notor running	MEDIUM
Crushing									
Crushing Can anyone be crushed due to: Material falling off the plant? Uncontrolled or unexpected movement of the plant or its load? Lack of capacity for the plant to be slowed, stopped or immobilized? The plant tipping or rolling over? Parts of the plant collapsing? Coming in contact with moving parts of the plant during testing, inspection, use, maintenance, cleaning or repair? Being thrown off or under the plant? Being trapped between the plant and materials or fixed structures? Other factors?		⊠ Yes □ No		HIGH	⊠ Elimination □ Substitution □ Isolation □ Engineering ⋈ Administration ☑ PPE	Follow manufacture Obey all warning de Ensure both the ma operator are stable Do not operate the protective guards at Keep hands and fee and moving parts (r cause injury if conta Ensure that the air s disconnected before making adjustments	ecals achine and the machine unless all re in place et clear of rotating moils) as they will acted supply is safely e removing moils or	MEDIUM	

Authorised by: General Manager - Safety & Personnel Date: 13/07/2023 Review Date: July 2024 Issue No: 1 Page 1 of 7



Plant and Equipment Risk Assessment

Cutting, Stabbing and Puncturing]				
 Can anyone be cut, stabbed or punctured due to? Coming in contact with sharp or flying objects? Coming in contact with moving parts of the plant during testing, inspection, operation, maintenance, cleaning or repair of the plant? Plant, parts of the plant or work pieces disintegrating? Work pieces being ejected? The mobility of the plant? Uncontrolled or unexpected movement of the plant? Other factors? 	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Do not do any servicing or maintenance with air hose connected Ensure all guards and fixtures are in place Ensure Whip Check is used when connected to air supply Ensure machine is switched off before changing moils Ensure appropriate PPEs are used (e.g. protection for eyes, hearing and footwear)	MEDIUM
Shearing				rootwoary	
Can anyone's body parts be: Sheared between two or more parts of the plant, or between a part of the plant and a work piece or structure?	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
Friction		1			•
Can anyone be burnt, gain abrasions etc. due to: Contact with moving parts or surfaces of the plant, or material handled by the plant?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Do not do any servicing or maintenance with air hose connected Allow motor and other components to completely stop & cool before servicing	Low
Striking					
Can anyone be struck by moving objects due to: Uncontrolled or unexpected movement of the plant or material handled by the plant? Plant, parts of the plant or work pieces disintegrating? Work pieces being ejected? Mobility of the plant? Other factors?	⊠ Yes □ No	MEDIUM	⊠ Elimination □ Substitution □ Isolation ⊠ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure appropriate PPE is worn when operating this machine	LOW

Authorised by: General Manager - Safety & Personnel Date: 13/07/2023 Review Date: July 2024 Issue No: 1 Page 2 of 7



Plant and Equipment Risk Assessment

1				
☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE		
⊠ Yes □ No	HIGH	 ☑ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☒ Administration ☒ PPE 	Follow manufacturers' instructions Obey all warning decals Ensure that the material to be broken up does not contain any "live" electrical cables, gas or water services Always wear the appropriate PPE when operating this machine	HIGH
⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☐ PPE	Follow manufacturers' instructions Obey all warning decals Remove all combustible and flammable material from work vicinity Do not allow any ignition source near fuel containers Ensure good, constant air flow	LOW
☑ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Wear appropriate footwear Keep work area clean and clear of obstructions and debris Display warning signs if pedestrian needs to share area and have spotter	LOW
	No Yes No Yes No Yes No Yes No	Yes HIGH Yes No Yes No Yes MEDIUM Yes MEDIUM	Substitution Isolation Isolation	Substitution Substitution Engineering Administration PPE

Authorised by: General Manager - Safety & Personnel Date: 13/07/2023 Review Date: July 2024 Issue No: 1 Page 3 of 7



Plant and Equipment Risk Assessment

High Temperature	7				
Can anyone: Come into contact with objects at high temperature? Come into contact with hot fluids? Be injured by fire?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☑ Isolation ☐ Engineering ☑ Administration ☑ PPE		LOW
Temperature and Thermal Comfort		1	. —		
Can anyone suffer ill-health due to:	☐ Yes ☑ No		☐ Elimination ☐ Substitution ☐ Isolation ☐ Engineering ☐ Administration ☐ PPE	Follow manufacturers' instructions Obey all warning decals Operate in well-ventilated areas only Check for utilities (gas, water, electrical) in the work zone BEFORE operation Remove all combustible and flammable material from work vicinity Do not allow any ignition source near fuel containers Do not place any body part or flammable material on/near work area Ensure equipment is appropriately labeled and meet the relevant State Legislative requirements Maintain equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable to foresee further risk to persons or damage to equipment Always wear the appropriate PPE whilst operating this machine – this includes safety hat, safety gloves, shoes, hearing and respiratory protection	
Suffocation					
Can anyone be suffocated due to: Lack of oxygen, or atmospheric contamination?	⊠ Yes □ No	MEDIUM	⊠ Elimination □ Substitution □ Isolation □ Engineering ☑ Administration □ PPE	Follow manufacturers' instructions Obey all warning decals Ensure adequate ventilation in sealed-off areas. Position and operate in well-ventilated areas only Use dust extraction devices if required	Low

Authorised by: General Manager - Safety & Personnel Date: 13/07/2023 Review Date: July 2024 Issue No: 1 Page 4 of 7



Plant and Equipment Risk Assessment

Ergonomics	1				
Can anyone be injured due to: Poorly designed seating? Repetitive body movements? Constrained body posture or the need for excessive effort? Design deficiency causing physical or personal stress? Inadequate or poorly placed lighting? Lack of consideration given to human error or human behavior? Mismatch of the plant with human traits and natural limitations? Other factors?	⊠ Yes □ No	LOW	 ☑ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☐ PPE 	Follow manufacturers' instructions Obey all warning decals Take regular breaks/rests Exercise/stretch regularly Do not operate beyond your personal capabilities Observe and use proper manual handling techniques	LOW
Transportation		I			
Can anyone be injured by this equipment falling or driven off vehicle or trailer while loading, unloading or transportation?	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure equipment, attachments and sundry items are securely tied down Always wear the appropriate PPE when operating/handling this machine	LOW
Operational				•	
Can anyone be injured by this equipment	⊠ Yes □ No	MEDIUM	☐ Elimination ☐ Substitution ☐ Isolation ☑ Engineering ☑ Administration ☑ PPE	Follow manufacturers' instructions Obey all warning decals Ensure equipment is on stable ground and clear of obstructions Ensure firm, stable footing of operator Ensure adequate ventilation Ensure all safety guards and fixtures are in place Ensure Whip Check is used when connected to air supply Ensure hold-to-run controls provided for machine are working properly Ensure handles and other adjustable parts are set right for the operator Ensure appropriate PPEs are used (e.g. protection for eyes, hearing and footwear)	Low

Authorised by: General Manager - Safety & Personnel Date: 13/07/2023 Review Date: July 2024 Issue No: 1 Page 5 of 7



Plant and Equipment Risk Assessment

Other Hazards						
Can anyone be injured of Chemicals? Toxic gases or value of Fumes? Dust? Noise? Vibration? Radiation? Other Factors?	or suffer ill-health from exposure to:	⊠ Yes □ No	LOW	□ Elimination □ Substitution □ Isolation □ Engineering □ Administration □ PPE	Follow manufacturers' instructions Obey all warning decals Operate in well-ventilated areas only Check for utilities (gas, water, electrical) in the work zone BEFORE operation Ensure equipment is appropriately labeled and meet the relevant State Legislative requirements Maintain equipment in good working order - report any malfunction or damage to Master Hire immediately and stop using equipment where it is reasonable to foresee further risk to persons or damage to equipment Always wear the appropriate PPE whilst operating this machine – this includes safety hat, safety gloves, shoes, hearing and respiratory protection	LOW
Further Comments:	A Specific Risk Assessment on site mu			•		
	This equipment must only be driven	n/operated by c	ompetent pers	sons and hold	ers of the appropriate license	
Checklist:	 ✓ Manufacturers' manuals referenced ✓ Copy kept in Master Hires' Risk Manageme 	ent File				

Authorised by: General Manager - Safety & Personnel	Date: 13/07/2023 Review Date: July 2024	Issue No: 1	Page 6 of 7



Plant and Equipment Risk Assessment

Hazard / Risk Matrix

Reference: Workplace Health and Safety Queensland - Risk Assessment - Supplement 2
Risk Management Code of Practice 2007

Step 1 Determine Likelihood – What is the possibility of the event happening?

	Criteria	Description
Almost certain	Expected in most circumstances.	Event is a common problem
Likely	Will probably occur in most circumstances.	Event is known to have occurred at this site or it has happened
Possible	Might occur at some time	Event could occur at the site or I've heard of it happening
Unlikely	Could occur at some time	Event is not likely to occur at the site or I have not heard of it happening
Rare	May occur only in exceptional circumstances	Event is practically impossible.

Step 2 Determine Consequence - What will be the result if it happens?

Classification	Example detail description
Insignificant	No injuries
Minor	First aid treatment only; spillage contained at site.
Moderate	Medical treatment; spillage contained but with outside help.
Major	Extensive injuries; loss of production
Catastrophic	Death; toxic release of chemicals

Step 3 Determine the risk score

	CONSEQUENCE						
LIKELIHOOD	Insignificant	significant Minor		Major	Catastrophic		
Almost certain	3 High	3 High	4 Acute	4 Acute	4 Acute		
Likely	2 Medium	3 High	3 High	4 Acute	4 Acute		
Possible	1 Low	2 Medium	3 High	4 Acute	4 Acute		
Unlikely	1 Low	1 Low	2 Medium	3 High	4 Acute		
Rare	1 Low	1 Low	2 Medium	3 High	3 High		

Step 4 Record risk score against the job sequence steps

(Note - Risk scores have no absolute value and should only be used for comparison and to engender discussion.)

Score	Action
4 A: Acute	ACT NOW – Urgent – do something about the risks immediately. Requires immediate attention.
3 H: High	Highest management decision is required urgently.
2 M: Medium	Follow management instructions.
1 L: Low	OK for now. Record and review if any equipment/ people/ materials/ work processes or procedures change.

Authorised by: General Manager - Safety	v & Personnel Dat	te: 13/07/2023 F	Review Date: July	2024	Issue No. 1	Page 7 of 7
Authorised by: General Manager - Safety	y a reisoillei Dai	ite. 13/0//2023 1	neview bate. July	202 4	Issue No: 1	Page / of /